

Refine Search

Search Results -

Terms	Documents
L14 and L7	18

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L15

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Thursday, September 23, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L15</u>	L14 and l7	18	<u>L15</u>
<u>L14</u>	719/310,328.ccls.	808	<u>L14</u>
	<i>DB=TDBD; PLUR=YES; OP=ADJ</i>		
<u>L13</u>	program\$ and (object\$ near5 propt\$)and object\$ near5 (propt\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propt\$) near7 depen\$	0	<u>L13</u>
	<i>DB=DWPI; PLUR=YES; OP=ADJ</i>		
<u>L12</u>	program\$ and (object\$ near5 propt\$)and object\$ near5 (propt\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propt\$) near7 depen\$	0	<u>L12</u>
	<i>DB=JPAB; PLUR=YES; OP=ADJ</i>		
<u>L11</u>	program\$ and (object\$ near5 propt\$)and object\$ near5 (propt\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propt\$) near7 depen\$	0	<u>L11</u>

DB=EPAB; PLUR=YES; OP=ADJ

<u>L10</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L10</u>
------------	--	---	------------

DB=PGPB; PLUR=YES; OP=ADJ

<u>L9</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	1	<u>L9</u>
-----------	--	---	-----------

DB=USPT; PLUR=YES; OP=ADJ

<u>L8</u>	L7 and l2	36	<u>L8</u>
<u>L7</u>	717/108,116,165.ccls.	449	<u>L7</u>
<u>L6</u>	l4 and object\$ near5 (propert\$ or attribut\$) near5 relation\$ near4 expression\$	5	<u>L6</u>
<u>L5</u>	L4 and (chang\$ or alter or modif\$) near3 value\$ near4 (no\$ near5 depend\$)	0	<u>L5</u>
<u>L4</u>	object\$ near5 (propert\$ or attribut\$) near5 (modif\$ or chang\$ or alter)	2078	<u>L4</u>
<u>L3</u>	L2 and (source\$ near4 propert\$) near7 depen\$	5	<u>L3</u>
<u>L2</u>	L1 and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$)	832	<u>L2</u>
<u>L1</u>	program\$ and (object\$ near5 propert\$)	5301	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L26 and (array\$ near5 memory\$)	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L27

Refine Search

Recall Text

Clear

Interrupt


Search History

DATE: Thursday, September 23, 2004 [Printable Copy](#) [Create Case](#)

Set Name	Query	Hit Count	Set Name result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L27</u>	L26 and (array\$ near5 memory\$)	1	<u>L27</u>
<u>L26</u>	user interface\$ near5 object\$ near5 (proper\$ or attribut\$) near4 (chang\$ or modif\$)	16	<u>L26</u>
<u>L25</u>	object\$ near4 (properl\$ or attribut\$) near5 (relation\$ near4 expression\$)	6	<u>L25</u>
<u>L24</u>	l22 and (value\$ near5 expression\$)	0	<u>L24</u>
<u>L23</u>	L22 and (properl\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L23</u>
<u>L22</u>	6480856.pn.	1	<u>L22</u>
<u>L21</u>	l19 and (properl\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L21</u>
<u>L20</u>	L19 and (instan\$ near5 object)	1	<u>L20</u>
<u>L19</u>	5978582.pn.	1	<u>L19</u>
<u>L18</u>	l16 and (properl\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L18</u>
<u>L17</u>	L16 and (instan\$ near5 object)	1	<u>L17</u>
<u>L16</u>	6336211.pn.	1	<u>L16</u>

<u>L15</u>	L14 and l7	18	<u>L15</u>
<u>L14</u>	719/310,328.ccls.	808	<u>L14</u>
	<i>DB=TDBD; PLUR=YES; OP=ADJ</i>		
<u>L13</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L13</u>
	<i>DB=DWPI; PLUR=YES; OP=ADJ</i>		
<u>L12</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L12</u>
	<i>DB=JPAB; PLUR=YES; OP=ADJ</i>		
<u>L11</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L11</u>
	<i>DB=EPAB; PLUR=YES; OP=ADJ</i>		
<u>L10</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L10</u>
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L9</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	1	<u>L9</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L8</u>	L7 and l2	36	<u>L8</u>
<u>L7</u>	717/108,116,165.ccls.	449	<u>L7</u>
<u>L6</u>	l4 and object\$ near5 (propert\$ or attribut\$) near5 relation\$ near4 expression\$	5	<u>L6</u>
<u>L5</u>	L4 and (chang\$ or alter or modif\$) near3 value\$ near4 (no\$ near5 depend\$)	0	<u>L5</u>
<u>L4</u>	object\$ near5 (propert\$ or attribut\$) near5 (modif\$ or chang\$ or alter)	2078	<u>L4</u>
<u>L3</u>	L2 and (source\$ near4 propert\$) near7 depen\$	5	<u>L3</u>
<u>L2</u>	L1 and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$)	832	<u>L2</u>
<u>L1</u>	program\$ and (object\$ near5 propert\$)	5301	<u>L1</u>

END OF SEARCH HISTORY

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

**Print Format**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Your search matched **0** of **1074479** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


THE ACM DIGITAL LIBRARY
[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

object and prperties and change and relational and expression and

Found 91,536 of 142,983

Sort results by

Display results

[Save results to a Binder](#)
[Search Tips](#)
☐ Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Semantic integrity support in SQL:1999 and commercial \(object-\)relational database management systems](#)

Can Türker, Michael Gertz

 December 2001 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 10 Issue 4

 Full text available: pdf(345.55 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The correctness of the data managed by database systems is vital to any application that utilizes data for business, research, and decision-making purposes. To guard databases against erroneous data not reflecting real-world data or business rules, semantic integrity constraints can be specified during database design. Current commercial database management systems provide various means to implement mechanisms to enforce semantic integrity constraints at database run-time. In this paper, we give ...

Keywords: Constraint enforcement, Object-relational databases, SQL:1999, Semantic integrity constraints

2 [A simple software environment based on objects and relations](#)

Bruce J. MacLennan

 June 1983 **Proceedings of the ACM SIGPLAN 85 symposium on Language issues in programming environments**, Volume 18, 20 Issue 6, 7

 Full text available: pdf(714.36 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a simple programming system based on a clear separation of value-oriented programming and object-oriented programming [MacLennan82, MacLennan83a]. The value-oriented component is a conventional functional programming language. The object-oriented component is based on a model of objects and values connected by relations, and on production system-like rules that determine the alteration of these relations through time. It is shown that th ...

3 [A general framework for visualizing abstract objects and relations](#)

Tomihisa Kamada, Satoru Kawai

 January 1991 **ACM Transactions on Graphics (TOG)**, Volume 10 Issue 1

 Full text available: pdf(2.26 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L22 and (no\$ near5 (depend\$ or chang\$ or modif))	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L40

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, September 23, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	DB=USPT; PLUR=YES; OP=ADJ		
<u>L40</u>	L22 and (no\$ near5 (depend\$ or chang\$ or modif))	1	<u>L40</u>
<u>L39</u>	L22 and (no\$ near5 depend\$)	1	<u>L39</u>
<u>L38</u>	L22 and (depend\$ or affect\$) near5 (parent or child or original\$)	1	<u>L38</u>
<u>L37</u>	L22 and depend\$	1	<u>L37</u>
<u>L36</u>	L22 and (steady\$ or permanent\$)	0	<u>L36</u>
<u>L35</u>	L22 and steady\$	0	<u>L35</u>
<u>L34</u>	L22 and (child\$ or parent or source\$ or original\$) near5 object	1	<u>L34</u>
<u>L33</u>	L31 and (affect\$ or non-affect\$ or non affect\$) near4 object	89	<u>L33</u>
<u>L32</u>	L31 and (affect\$ or non-affect\$ or non affect\$)	133	<u>L32</u>
<u>L31</u>	L30 and (duplicat\$ or cop\$)near8 object\$	194	<u>L31</u>

<u>L30</u>	L29 and (propert\$ or attribut\$) near5 (chang\$ or modif\$)	468	<u>L30</u>
<u>L29</u>	l2 and (child\$ or parent or source\$ or original\$) near5 object	481	<u>L29</u>
<u>L28</u>	l2 and (Pre-source or pre source or post-source or post source)	0	<u>L28</u>
<u>L27</u>	L26 and (array\$ near5 memory\$)	1	<u>L27</u>
<u>L26</u>	user interface\$ near5 object\$ near5 (proper\$ or attribut\$) near4 (chang\$ or modif\$)	16	<u>L26</u>
<u>L25</u>	object\$ near4 (propert\$ or attribut\$) near5 (relation\$ near4 expression\$)	6	<u>L25</u>
<u>L24</u>	l22 and (value\$ near5 expression\$)	0	<u>L24</u>
<u>L23</u>	L22 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L23</u>
<u>L22</u>	6480856.pn.	1	<u>L22</u>
<u>L21</u>	l19 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L21</u>
<u>L20</u>	L19 and (instan\$ near5 object)	1	<u>L20</u>
<u>L19</u>	5978582.pn.	1	<u>L19</u>
<u>L18</u>	l16 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L18</u>
<u>L17</u>	L16 and (instan\$ near5 object)	1	<u>L17</u>
<u>L16</u>	6336211.pn.	1	<u>L16</u>
<u>L15</u>	L14 and l7	18	<u>L15</u>
<u>L14</u>	719/310,328.ccls.	808	<u>L14</u>
<i>DB=TDBD; PLUR=YES; OP=ADJ</i>			
<u>L13</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L13</u>
<i>DB=DWPI; PLUR=YES; OP=ADJ</i>			
<u>L12</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L12</u>
<i>DB=JPAB; PLUR=YES; OP=ADJ</i>			
<u>L11</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L11</u>
<i>DB=EPAB; PLUR=YES; OP=ADJ</i>			
<u>L10</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L10</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L9</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	1	<u>L9</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L8</u>	L7 and l2	36	<u>L8</u>
<u>L7</u>	717/108,116,165.ccls.	449	<u>L7</u>
<u>L6</u>	l4 and object\$ near5 (propert\$ or attribut\$) near5 relation\$ near4 expression\$	5	<u>L6</u>
<u>L5</u>	L4 and (chang\$ or alter or modif\$) near3 value\$ near4 (no\$ near5 depend\$)	0	<u>L5</u>

<u>L4</u>	object\$ near5 (propert\$ or attribut\$) near5 (modif\$ or chang\$ or alter)	2078	<u>L4</u>
<u>L3</u>	L2 and (source\$ near4 propert\$) near7 depen\$	5	<u>L3</u>
<u>L2</u>	L1 and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$)	832	<u>L2</u>
<u>L1</u>	program\$ and (object\$ near5 propert\$)	5301	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(719/316 719/328).ccls.	718

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L44

Search History

DATE: Thursday, September 23, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L44</u> 719/316,328.ccls.	718	<u>L44</u>
<u>L43</u> 706/11.ccls.	188	<u>L43</u>
<u>L42</u> 707/100,103R.ccls.	2272	<u>L42</u>
<u>L41</u> 717/104,108,109,116,165.CCLS.	656	<u>L41</u>
<u>L40</u> 122 and (no\$ near5 (depend\$ or chang\$ or modif))	1	<u>L40</u>
<u>L39</u> 122 and (no\$ near5 depend\$)	1	<u>L39</u>
<u>L38</u> 122 and (depend\$ or affect\$) near5 (parent or child or original\$)	1	<u>L38</u>
<u>L37</u> 122 and depend\$	1	<u>L37</u>
<u>L36</u> 122 and (steady\$ or permanent\$)	0	<u>L36</u>
<u>L35</u> 122 and steady\$	0	<u>L35</u>
<u>L34</u> 122 and (child\$ or parent or source\$ or original\$) near5 object	1	<u>L34</u>
<u>L33</u> L31 and (affect\$ or non-affect\$ or non affect\$) near4 object	89	<u>L33</u>
<u>L32</u> L31 and (affect\$ or non-affect\$ or non affect\$)	133	<u>L32</u>

<u>L31</u>	L30 and (duplicat\$ or cop\$)near8 object\$	194	<u>L31</u>
<u>L30</u>	L29 and (propert\$ or attribut\$) near5 (chang\$ or modif\$)	468	<u>L30</u>
<u>L29</u>	l2 and (child\$ or parent or source\$ or original\$) near5 object	481	<u>L29</u>
<u>L28</u>	l2 and (Pre-source or pre source or post-source or post source)	0	<u>L28</u>
<u>L27</u>	L26 and (array\$ near5 memory\$)	1	<u>L27</u>
<u>L26</u>	user interface\$ near5 object\$ near5 (proper\$ or attribut\$) near4 (chang\$ or modif\$)	16	<u>L26</u>
<u>L25</u>	object\$ near4 (propert\$ or attribut\$) near5 (relation\$ near4 expression\$)	6	<u>L25</u>
<u>L24</u>	l22 and (value\$ near5 expression\$)	0	<u>L24</u>
<u>L23</u>	L22 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L23</u>
<u>L22</u>	6480856.pn.	1	<u>L22</u>
<u>L21</u>	l19 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L21</u>
<u>L20</u>	L19 and (instan\$ near5 object)	1	<u>L20</u>
<u>L19</u>	5978582.pn.	1	<u>L19</u>
<u>L18</u>	l16 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L18</u>
<u>L17</u>	L16 and (instan\$ near5 object)	1	<u>L17</u>
<u>L16</u>	6336211.pn.	1	<u>L16</u>
<u>L15</u>	L14 and l7	18	<u>L15</u>
<u>L14</u>	719/310,328.ccls.	808	<u>L14</u>
<i>DB=TDBD; PLUR=YES; OP=ADJ</i>			
<u>L13</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L13</u>
<i>DB=DWPI; PLUR=YES; OP=ADJ</i>			
<u>L12</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L12</u>
<i>DB=JPAB; PLUR=YES; OP=ADJ</i>			
<u>L11</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L11</u>
<i>DB=EPAB; PLUR=YES; OP=ADJ</i>			
<u>L10</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L10</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L9</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	1	<u>L9</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L8</u>	L7 and l2	36	<u>L8</u>
<u>L7</u>	717/108,116,165.ccls.	449	<u>L7</u>
<u>L6</u>	l4 and object\$ near5 (propert\$ or attribut\$) near5 relation\$ near4 expression\$	5	<u>L6</u>

<u>L5</u>	L4 and (chang\$ or alter or modif\$) near3 value\$ near4 (no\$ near5 depend\$)	0	<u>L5</u>
<u>L4</u>	object\$ near5 (propert\$ or attribut\$) near5 (modif\$ or chang\$ or alter)	2078	<u>L4</u>
<u>L3</u>	L2 and (source\$ near4 propert\$) near7 depen\$	5	<u>L3</u>
<u>L2</u>	L1 and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$)	832	<u>L2</u>
<u>L1</u>	program\$ and (object\$ near5 propert\$)	5301	<u>L1</u>

END OF SEARCH HISTORY